Trop. Sci. 1994, **34**, 441–442

Author index

ABDALLA Y.M. *see* MUSA S.K., 185
AINA J.O. *see* AKINGBALA J., 345
AJISEGIRI E.S. *see*SOPADE P.A., 297
AKINGBALA J., OGUNTIMEIN G.B., OLUNLADE B.A. and AINA J.O. Effects of pasteurization and packaging on properties of wine from over-ripe mango (*Mangifera indica*) and banana (*Musa acuminata*) juices, 345
ASIEDU R. *see* EGGLESTON G., 259

BAINBRIDGE Z. *see* PADMAJA G., 409
BALA B.K., ZAMAN M.A., BISWAS B.K. and KHONDOKAR A.R. Experimental studies on storage of paddy in different traditional structures, 289
BARRETT J.C. *see* SALMON J., 191
BEECHING J.R., DODGE A.D., MOORE K.G., PHILLIPS H.M. and WENHAM J.E. Physiological deterioration in cassava: possibilities for control, 335
BHASHYAM M.K. *see* SRINIVAS T., 429
BHATNAGAR P.S., TIWARI S.P. and KAMRA S.K. Stability for grain yield of soybean varieties in the predominant soybean belt of India, 361
BISWAS B.K., *see* BALA B.K., 289
BOCK K.R. Control of African cassava mosaic geminivirus by using virus-free planting material, 102
BOCK K.R. Studies on cassava brown streak virus disease in Kenya, 134
BOCK K.R. The spread of African cassava mosaic geminivirus in coastal and western Kenya, 92
BROWNE C.B. *see* GEORGE J.B., 161
BURBAN C. *see* FISHPOOL L.D.C., 55
CEREDA M.P. *see* WESTBY A., 203

COOTE H.C. *see* MARDER R.C., 321

DODGE A.D. *see* BEECHING J.R., 335
DUBERN J. Transmission of African cassava mosaic geminivirus by the whitefly (*Bemisia tabaci*), 82
DUBEY R.S. *see* KATIYAR S., 231

EDEM D.O., EKWERE E.S. and EKA O.U. Chemical evaluation of the effects of cooking on the nutritive value of conophor seed (*Tetracarpidium conophorum*), 377
EGGLESTON G. and ASIEDU R. Effects of boiling on the texture of cassava clones: a comparison of comparative strength, intercellular adhesion and physicochemical composition of the tuberous roots, 259
EKA O.U. *see* EDEM D.O., 377
EKWERE E.S. *see* EDEM D.O., 377

FARGETTE D. *see* THRESH, J.M., 3, 26
FARGETTE D., THRESH J.M. and OTIM-NAPE G.W. The epidemiology of African cassava mosaic geminivirus: reversion and the concept of equilibrium, 123
FIRMIN A. Effect of home food processing methods on the nutritional value of plantains in Côte D'Ivoire, 274
FISHPOOL L.D.C. *see* THRESH, J.M., 3
FISHPOOL L.D.C. and BURBAN C. *Bemisia tabaci*: the whitefly vector of African cassava mosaic geminivirus, 55
FRISON E.A. Sanitation techniques for cassava, 146

GEORGE J.B. and BROWNE C.B. Changes in quality of fresh cassava tubers during storage, 161
GIBSON R.W. *see* LEGG J.P., 73
GIBSON R.W. Long-term absence of symptoms in heat-treated African cassava mosaic geminivirus-infected resistant cassava plants, 154
GOLOB P. *see* WARD A.R., 401
GOPAKUMAR K. *see* MATHEW P.T., 166
GREEN K.R. *see* SIMONS S.A., 216

HAIMOURA E., *see* MUSA S.K., 185
HARRIS E.G. *see* SMITH S.C., 391
HARRISON B.D. *see* SWANSON M.M., 15
HUGHES P.A. and WAINWRIGHT H. Influence of site and fruit position on the pulp colour and texture of bananas, 211

JENNINGS D.L. Breeding for resistance to African cassava mosaic geminivirus in East Africa, 110

KAMRA S.K. *see* BHATNAGAR P.S., 361
KAPOOR S.K. *see* SUGHA S.K., 282
KATIYAR S. and DUBEY R.S. Behaviour of malate, isocitrate and glucose-6-phosphate dehydrogenases in germinating rice in relation to salt tolerance, 231
KENNEDY R. *see* USHA C.M., 353
KHONDOKAR A.R., *see* BALA B.K., 289

LACEY J. *see* USHA C.M., 353
LAKSHMI K.R. *see* MOORTHY S.N., 371
LEGG J.P., GIBSON R.W. and OTIM-NAPE G.W. Genetic polymorphism amongst Ugandan populations of *Bemisia tabaci* (Gennadius) (Homoptera: Aleyrodidae), vector of African cassava mosaic geminivirus, 73
LINKE K.-H. *see* SCHNELL H., 306

MCFARLANE J.A. *see* RAJAMMA P., 315
MARDER R.C., ROBINSON A.P. and COOTE H.C. The performance of a timber drying kiln fuelled by sawdust and a solar kiln, 321

MATHEW P.T. and GOPAKUMAR K. Purification and characterization of glucose-6-phosphate dehydrogenase from the liver of pearl spot (*Etroplus suratensis*), 166
MOORE K.G. *see* BEECHING J.R., 335
MOORTHY S.N., UNNIKRISHNAN M. and LAKSHMI K.R. The physicochemical properties of starch of some accessions of *Amorphophallus paeoniifolius*, 371
MSUKU B.S. and ROGERS J.F. Utilization of cow dung in processing Nile perch in Eastern Lake Victoria, 387
MUSA S.K., ABDALLA Y.M., HAIMOURA E. and SULEIMAN Y. Improvement of onion storage in the Sudan, 185

NWUFU M.I., OKONKWO M.I. and OBIEFUNA J.C. Effect of postharvest treatments on the storage life of avocado pear (*Persea americana*, Mill.), 364

OBIEFUNA J.C. *see* NWUFU M.I., 364
OGUNTIMEIN G.B. *see* AKINGBALA J., 345
OKINDA OWOUR P. Clonal variations in the response of black tea quality parameters to time of the year in western Kenya highlands, 225
OKONKWO M.I. *see* NWUFU M.I., 364
OKONMAH G.N. *see* SOPADE P.A., 297
OLUNLADE B.A. *see* AKINGBALA J., 345
OTIM-NAPE G.W. *see* LEGG J.P., 73
OTIM-NAPE G.W. *see* THRESH, J.M., 3, 26
OTIM-NAPE G.W., SHAW M. and THRESH J.M. The effects of African cassava mosaic geminivirus on the growth and yield of cassava in Uganda, 43
OTIM-NAPE G.W. *see* FARGETTE D., 123

PADMAJA G., PREMKUMAR T., PLUMB V., BAINBRIDGE Z. and WOOD J.F. Amino acid and sugar profiles of insect infested and uninfested plain-dried versus parboiled cassava chips, 409
PATKAR K.L. *see* USHA C.M., 353
PHILLIPS H.M. *see* BEECHING J.R., 335
PLUMB V. *see* PADMAJA G., 409
POULTER N.H. *see* RAJAMMA P., 315
PREMKUMAR T. *see* PADMAJA G., 409

RAJAMMA P., MCFARLANE J.A. and POULTER N.H. Susceptibility of *Rhyzopertha dominica* (F.) (coleoptera: bostrichidae) and *Tribolium castaneum* (Herbst) (coleoptera: tenebrionidae) to cyanogens in dried cassava products, 315
ROBINSON A.P. *see* MARDER R.C., 321
ROGERS J.F. *see* MSUKU B.S., 387

SALMON J. and BARRETT J.C. Social issues in trypanosomiasis control, 191
SAUERBORN J. *see* SCHNELL H., 306
SCHNELL H., LINKE K.-H. and SAUERBORN J. Trap cropping and its effect on yield and *Orobanche crenata* Forsk. infestation on following pea (*Pisum sativum* L.) crops, 306
SEEPERSAD J. A multidisciplinary approach to needs assessment in agricultural extension: the Caribbean experience, 251
SHAW M. *see* OTIM-NAPE G.W., 43
SHETTY H.S. *see* USHA C.M., 353
SIMONS S.A. and GREEN K.R. Quantitative methods for assessing theseverity of anthracnose on yam (*Dioscorea alata*), 216
SINGH B.M. *see* SUGHA S.K., 282
SMITH S.C., HARRIS E.G. and WILSON K. Effect of temperature regime on the toxicity of endosulfan and deltamethrin to tsetse flies, *Glossina morsitans morsitans*, 391
SOPADE P.A., AJISEGIRI E.S. and OKONMAH G.N. Modelling water absorption characteristics of some Nigerian varieties of cowpea during soaking, 297
SRINIVAS T. and BHASHYAM M.K. Genetic and varietal improvement in the technological qualities of rice, 429
SUGHA S.K., KAPOOR S.K. and SINGH B.M. Soil characteristics and their relation to fusarium wilt of chickpea (*Cicer arietinum* L.), 282
SULEIMAN Y., *see* MUSA S.K., 185
SWANSON M.M. and HARRISON B.D. Properties, relationships and distribution of cassava mosaic geminiviruses, 15

THRESH J.M. *see* OTIM-NAPE G.W., 43
THRESH J.M., FISHPOOL L.D.C., OTIM-NAPE G.W. and FARGETTE D. African cassava mosaic virus disease: an under-estimated and unsolved problem, 3
THRESH J.M. *see* FARGETTE D., 123
THRESH, J.M., FARGETTE D. and OTIM-NAPE G.W. Effects of African cassava mosaic geminiviruse on the yield of cassava, 26
TIWARI S.P. *see* BHATNAGAR P.S., 361
TWIDDY D.R. Volatiles as indicators of fungal growth on cereal grains, 416

UNNIKRISHNAN M. *see* MOORTHY S.N., 371
USHA C.M., PATKAR K.L., SHETTY H.S., KENNEDY R. and LACEY J. Mycoflora of developing sorghum grains with special reference to *Aspergillus flavus*, 353

WAINWRIGHT H. *see* HUGHES P.A., 211
WARD A.R. and GOLOB P. The use of plant materials to control insect infestation of cured fish, 401
WENHAM J.E. *see* BEECHING J.R., 335
WESTBY A. and CEREDA M.P. Production of fermented cassava starch (polvilho azedo) in Brazil, 203
WILSON K. *see* SMITH S.C., 391
WOOD J.F. *see* PADMAJA G.,409

YU S.Y. and FAZIDAH S. Enzymic hydrolysis of proteins from *Aristichthys nobilis* by protease P 'Amano' 3, 381
YU S.Y. Effect of slice thickness on the acceptability of fish crackers ('keropok'), 182

ZAMAN M.A., *see* BALA B.K., 289

Trop. Sci. 1994, **34**, 443–445

Subject index

ACMV *see* cassava mosaic geminivirus
aflatoxins
  Aspergillus flavus, 353
agricultural extension, 251
Allium cepa, 185
amino acids
  in cassava, 409
  in fish, 381
Amorphophallus paeoniifolius, 371
  starch properties, 371
anthracnose, 216
apiti, 274
Aspergillus flavus, 353
aroids, in elephant yam, 371

banana
  green life, 211
  juice, 345
  pasteurization, 345
  pulp colour, 211
  texture, 211
  wine from, 345
Bemisia afer, 134
Bemisia tabaci, 3, 15, 26, 43, 55, 73, 82, 92, 123, 134
  adults, 82
  biology, 55
  ecology, 55
  genetic polymorphism, 73
  isozymes, 73
  larvae, 82
biodeterioration, 426
biomass energy, 321
black tea, 225
Brazil, 203

Cameroon, 26
cassava
  ACMV-free clones, 102
  amino acids in, 409
  boiling quality, 259
  Brazil, 203
  brown streak virus disease, 134
  carlavirus, 134
  chips, 409
  compressive strength, 259
  control of ACMV, 102
  cyanogens, 315
  fermentation, 203
  insect infestation, 409
  intercellular adhesion, 259
  interspecific hybrids, 110
cassava (*cont.*)
  mosaic virus disease, 3–158
  parboiled, 409
  physiological deterioration, 335
  plain-dried, 409
  polvilho azedo, 203
  protection from ACMV, 73
  quality, 161
  sanitation, 146
  starch, 203
  starch characteristics, 259
  storage, 161
  stored products, 315
  sugar content, 409
  texture, 259
  thermotherapy, 154
  virus-resistant varieties, 3, 110
  varietal susceptibility to ACMV, 102
  yield, 26, 43
cassava brown streak virus disease, 134
  insect vectors, 134
cassava mosaic geminivirus, 3–158
  alternative hosts, 15
  control, 102
  distribution, 15
  East African virus, 15
  effects on yield, 26, 43
  elimination, 146
  epidemiology, 92, 123
  indexing, 146
  Indian virus, 15
  properties, 15
  protection of cassava from, 73
  relationships, 15
  sanitation, 146
  serological tests for, 15
  spread in Côte D'Ivoire, 92, 102
  spread in Kenya, 92, 102
  symptoms of infection, 154
  transmission, 82
  vector, 3, 15, 26, 43, 55, 82, 92, 123
CBSD *see* cassava brown streak virus disease
cereals, fungal spoilage, 426
chickpea, 282
clonal variations of black tea, 225
Colletotrichum gloeosporioides, 216
Congo, 26
conophor seeds, 377
  cooking, 377
  nutritional values of, 377
control of trypanosomiasis, 191

cooked plantain, 274
Côte D'Ivoire, 26, 92, 102, 110
cow dung, use in fish smoking, 387
cowpea, 297
cyanogens in cassava, 315

Dioscorea alata, 216
disease assessment in yam, 216
drying kilns, 321

Elephant yam, 371
enzymes, hydrolysis, 381
Etroplus suratensis, 166

Fish
  amino acid composition, 381
  crackers, 182
  cured, insect infestation, 401
  Lates niloticus, 387
  Nile perch, 387
  proximate composition, 381
  smoking, 387
forest industries, 321
forest products, 321
fruit juices, wine from, 345
fufu, 274
fungi
  volatiles in, 426
  spoilage by, 426
Fusarium oxysporum, 282
fusarium wilt, 282
futu, 274

gene banks, 146
genetics of rice, 429
geminiviruses, 3, 15,
  serological tests for, 15
germinating rice, 231
germination capacity of paddy, 289
germplasm of cassava, 146
Glossinia morsitans morsitans, 391
glucose-6-dehydrogenase, 161
glucose-6-phosphate, 161
glucose-6-phosphate dehydrogenase, 231
Glycine max, 361
grain
  yield stability in soybean, 361

host–parasite interaction, 306

insect infestation
  cassava, 409
  cured fish, 401
  paddy, 289
isocitrate dehydrogenase, 231

Kenya, 26, 92, 102, 110, 134, 225
  black tea, 225
  CBSD in, 134
  western and coastal, 92, 110
keropok, 182
kiln, 321

Lake Victoria, 387

Madagascar, 26
malate dehydrogenase, 231
Malawi, 26, 134
Mangifera indica, 345
Manihot esculenta, 3–158, 161, 259, 335, 409
Manihot glaziovii, 110
mango
  juice of, 345
  pasteurization, 345
  wine from, 345
moisture content of paddy, 289
Musa acuminata, 345
mycoflora, 353

needs assessment, 251
NADP, 161
Nigeria, 26, 259, 297
nutritional changes in plantain during cooking, 274
nutritional values
  conophor seeds, 377
  Tetracarpidium conophorum, 377

onion, 185
Orobanche crenata, 306

paddy, 289
pea, 306
Pearl spot, 161
Peleg's equation, 297
Persea americana, storage life, 364
Pisum sativum, 306
plantain, 274
plant wounding, 335
polvilho azedo, 203
postharvest treatment of *Persea americana*, 364
pulp colour of bananas, 211

Rhyzopertha dominica, 315
rice, 231, 429
  salt tolerance, 231

salt tolerance of rice, 231
solar kilns, 321
sondeo, 251
sorghum, 353
  aflatoxins, 353
  mycoflora, 353

soybean, yield stability, 361
starch, 203
  Amorphophallus paeoniifolius, 371
storage
  onions, 185
  paddy, 289
  Persea americana,364
sugar, in cassava, 409
suspension burner, 321

Tanzania, 26, 110, 134
texture of bananas, 211
timber processing, 321
Togo, 26
trap cropping, 306
Tribolium castaneum, 315
trypanosomiasis, 191
tstese flies, 191, 391
  control, 191

Uganda, 3, 26, 110
  crop loss in, 43

virus, 154
virus indexing, 146

water absorption of cowpea, 297
whitefly, 3, 15, 26, 43, 55, 73, 82, 92, 123, 134
wood, 321

yam, 216

Zaire, 26
Zanzibar, 26